

FORM NO. 205-S

WASTE-WATER FACILITY H₂S SURVEY

I. FLOW CHARACTERISTICS:

- A. Wastewater Type
 - 1. Municipal (___%) _____
 - 2. Industrial (___%)Type: _____
- B. MGD
 - 1. Total Facility _____
 - 2. Test Area _____
- C. Design Capacity _____
- D. Retention Time
 - 1. Total Facility _____
 - 2. Test Area _____
- E. Flow Pattern
 - 1. 24-Hour _____
 - 2. 7-Day _____
- F. Other _____

II. PHYSICAL CHARACTERISTICS: (DIMENSIONS & VOLUMES)

- A. Flow Equalization Basins/Tanks _____
- B. Clarifiers _____
- C. Ponds/Lagoon _____
- D. Aeration Tanks _____
- E. Sludge Thickeners _____
- F. Sludge Ponds _____
- G. Digesters _____
- H. Other _____

III. LOADING CHARACTERISTICS: INFLUENT/EFFLUENT TEST AREA

- | | | | |
|------------------------------|-------|-------|-------|
| A. H ₂ S | _____ | _____ | _____ |
| B. pH | _____ | _____ | _____ |
| C. Temperature | _____ | _____ | _____ |
| D. BOD/COD | _____ | _____ | _____ |
| E. TSS | _____ | _____ | _____ |
| F. SO ₄ (Sulfate) | _____ | _____ | _____ |
| G. eH (ORP) | _____ | _____ | _____ |
| H. Other | _____ | _____ | _____ |

IV. SCHEMATIC OF FACILITY:

ATTACH SCHEMATIC OF FACILITY OR USE REVERSE SIDE TO SKETCH FACILITY.

Limited Warranty:

Our only obligation shall be to replace or pay for any material proved defective. Beyond the purchase price of materials supplied by us, we assume no liability for damages of any kind and the user accepts the product "as is" and without warranties, expressed or implied. The suitability of the product for an intended use shall be solely up to the user.